



UNITED STATES DEPARTMENT OF COMMERCE
Patent and Trademark Office

Address: COMMISSIONER OF PATENTS AND TRADEMARKS
Washington, D.C. 20231

281 790

SERIAL NUMBER	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.
---------------	-------------	----------------------	---------------------

08/281,790 07/28/94 LAU

L ACS35765 (380

EXAMINER
BENNETT, C

F3M1/0619

FULWIDER, PATTON, LEE & UTECHT
10877 WILSHIRE BLVD., 10TH FL.
LOS ANGELES, CA 90024

ART UNIT	PAPER NUMBER
----------	--------------

3307

7

DATE MAILED: 06/19/95

This is a communication from the examiner in charge of your application.
COMMISSIONER OF PATENTS AND TRADEMARKS

☐ This application has been examined ☒ Responsive to communication filed on 2/27/95 ☐ This action is made final.

A shortened statutory period for response to this action is set to expire 3 month(s), — days from the date of this letter.
Failure to respond within the period for response will cause the application to become abandoned. 35 U.S.C. 133

Part I THE FOLLOWING ATTACHMENT(S) ARE PART OF THIS ACTION:

- | | |
|---|--|
| 1. <input checked="" type="checkbox"/> Notice of References Cited by Examiner, PTO-892. | 2. <input type="checkbox"/> Notice re Patent Drawing, PTO-948. |
| 3. <input type="checkbox"/> Notice of Art Cited by Applicant, PTO-1449. | 4. <input type="checkbox"/> Notice of Informal Patent Application, Form PTO-152. |
| 5. <input type="checkbox"/> Information on How to Effect Drawing Changes, PTO-1474. | 6. <input type="checkbox"/> _____ |

Part II SUMMARY OF ACTION

1. ☒ Claims 1-22, 25, 26 are pending in the application.

Of the above, claims _____ are withdrawn from consideration.

2. ☒ Claims 23, 24 have been cancelled.

3. ☒ Claims 1-22, 26 are allowed.

4. ☒ Claims 25 are rejected.

5. ☐ Claims _____ are objected to.

6. ☐ Claims _____ are subject to restriction or election requirement.

7. ☐ This application has been filed with Informal drawings under 37 C.F.R. 1.85 which are acceptable for examination purposes.

8. ☐ Formal drawings are required in response to this Office action.

9. ☐ The corrected or substitute drawings have been received on _____. Under 37 C.F.R. 1.84 these drawings are ☐ acceptable, ☐ not acceptable (see explanation or Notice re Patent Drawing, PTO-948).

10. ☐ The proposed additional or substitute sheet(s) of drawings, filed on _____ has (have) been ☐ approved by the examiner, ☐ disapproved by the examiner (see explanation).

11. ☐ The proposed drawing correction, filed on _____, has been ☐ approved, ☐ disapproved (see explanation).

12. ☐ Acknowledgment is made of the claim for priority under U.S.C. 119. The certified copy has ☐ been received ☐ not been received
☐ been filed in parent application, serial no. _____; filed on _____

13. ☐ Since this application appears to be in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11; 453 O.G. 213.

14. ☐ Other

EXAMINER'S ACTION

Art Unit 3307

1. It is noted that the preliminary amendment filed on 12 August 1994 was overlooked in the application at the time of the first office action; therefore, new claims 25 and 26 presented in pre-amendment A have not been previously considered. Accordingly, this office action is not made final.

The following is a quotation of the appropriate paragraphs of 35 U.S.C. § 102 that form the basis for the rejections under this section made in this Office action:

*A person shall be entitled to a patent unless –
(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.*

2. **Claim 25 is rejected under 35 U.S.C. § 102(e) as being anticipated by Wiktor ('458).**

Wiktor teaches a longitudinally flexible stent comprising: a stent 1 formed of a biologically compatible material, in this case titanium or gold; said stent having a first end and a second end and a substantially cylindrical body portion; said stent expanding from a first diameter (see Fig. 4) to a second larger diameter (see figs. 5 and 6); wherein said stent does not substantially shorten upon expansion from said first diameter to said second diameter.

3. **Claims 1-22 and 26 are allowable over the prior art of record.**

Serial No. 08/281,790

-3-

Art Unit 3307

4. Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Chris A. Bennett, whose telephone number (703) 308-0980.

Any inquiry of a general nature or relating to the status of this application should be directed to the Group receptionist whose telephone number is (703) 308-0858.

The fax number for this group is (703) 305-3590, 91.


CHRIS A. BENNETT
PATENT EXAMINER
GROUP 3300

CAB
May 26, 1995